

---

---

Draft Jamaican Standard

Specification

for

**Personal protective equipment —  
Test methods for footwear**

---

---



**BUREAU OF STANDARDS JAMAICA**

**NON-OBJECTION PERIOD:**  
**1 AUGUST 2022 – 31 AUGUST 2022**

DRAFT JAMAICAN STANDARD

**IMPORTANT NOTICE**

Jamaican standards are subjected to periodic review. The next amendment will be sent without charge if you cut along the dotted line and return the self-addressed label. If we do not receive this label we have no record that you wish to be kept up-to-date. Our address:

Bureau of Standards Jamaica  
6 Winchester Road  
P.O. Box 113  
Kingston 10  
Jamaica W.I.

----- (✂cut along the line) -----

JS ISO 20344: 2022

NAME OR DESIGNATION.....

ADDRESS.....

## JBS CERTIFICATION MARK PROGRAMME

The general policies of the JBS Certification Mark Programme are as follows:

- The JBS provides certification services for manufacturers participating in the programme and licensed to use the gazetted JBS Certification Marks to indicate conformity with Jamaican Standards.
- Where feasible, programmes will be developed to meet special requirements of the submitter. Where applicable, certification may form the basis for acceptance by inspection authorities responsible for enforcement of regulations.
- In performing its functions in accordance with its policies, JBS will not assume or undertake any responsibility of the manufacturer or any other party.

Participants in the programme should note that in the event of failure to resolve an issue arising from interpretation of requirements, there is a formal appeal procedure.

Further information concerning the details of the JBS Certification Mark Programme may be obtained from the Bureau of Standards, 6 Winchester Road, Kingston 10.

### CERTIFICATION MARKS



Product Certification Marks



Plant Certification Mark



Certification of Agricultural Produce  
(CAP) Mark



Jamaica-Made Mark

**Draft Jamaican Standard**  
**Specification**  
**for**  
**Personal protective equipment — Test methods for footwear**

Bureau of Standards Jamaica  
6 Winchester Road  
P.O. Box 113  
Kingston 10  
Jamaica W. I.  
Tel: (876) 926 -3140-5, (876) 618 - 1534 or (876) 632-4275  
Fax: (876) 929 -4736  
E-mail: [info@bsj.org.jm](mailto:info@bsj.org.jm)  
Website: [www.bsj.org.jm](http://www.bsj.org.jm)

Month 202x

© 202x Bureau of Standards Jamaica

**All rights reserved. Unless otherwise specified, no part of a Bureau of Standards publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including, photocopying microfilm or scanning, without permission in writing.**

ISBN XXXXXXXXXXXX

Declared by the Bureau of Standards to be a **standard method of test pursuant** to section 7 of the Standards Act 1969.

First published December 2008

Second published March 2014

Third published **Month 202x**

This standard was circulated in draft form for thirty (30) days non-objection under the reference DJS ISO 20344: 2022.

Jamaican Standards establish requirements in relation to commodities, processes and practices, but do not purport to include all the necessary provisions of a contract.

The attention of those using this specification is called to the necessity of complying with any relevant legislation.

#### Amendments

| No. | Date of Issue | Remarks | Entered by and date |
|-----|---------------|---------|---------------------|
|     |               |         |                     |

## Contents

|  | Page        |
|--|-------------|
| National foreword  | vii         |
| Acknowledgement  | vii         |
| <b>Foreword</b>  | <b>viii</b> |
| <b>1 Scope</b>   | <b>1</b>    |
| <b>2 Normative references</b>  | <b>1</b>    |
| <b>3 Terms and definitions</b>   | <b>2</b>    |
| <b>4 General testing parameters</b>  | <b>2</b>    |
| 4.1 Sampling   | 2           |
| 4.2 Conditioning before and during the test  | 3           |
| 4.3 Prerequisites on the testing procedure   | 3           |
| 4.4 Test report  | 3           |
| <b>5 Test methods for whole footwear</b>   | <b>6</b>    |
| 5.1 Specific ergonomic features  | 6           |
| 5.1.1 Sampling and conditioning  | 6           |
| 5.1.2 Test method  | 7           |
| 5.1.3 Test report  | 7           |
| 5.2 Determination of upper/outsole and sole interlayer bond strength                                     | 8           |
| 5.2.1 Principle  | 8           |
| 5.2.2 Test equipment   | 8           |
| 5.2.3 Sampling and conditioning  | 8           |
| 5.2.4 Test method  | 8           |
| 5.2.5 Test report  | 12          |
| 5.3 Determination of dimensions of toecap  | 12          |
| 5.3.1 Sampling and conditioning  | 12          |
| 5.3.2 Test method  | 12          |
| 5.3.3 Test report  | 12          |
| 5.4 Determination of impact resistance   | 12          |
| 5.4.1 Test equipment   | 12          |
| 5.4.2 Sampling and conditioning  | 16          |
| 5.4.3 Test methods   | 16          |
| 5.4.4 Test report  | 18          |
| 5.5 Determination of compression resistance  | 18          |
| 5.5.1 Test equipment   | 18          |
| 5.5.2 Sampling and conditioning  | 18          |
| 5.5.3 Test method  | 18          |
| 5.5.4 Test report  | 19          |
| 5.6 Behaviour of toecaps (thermal and chemical)  | 20          |
| 5.6.1 Sampling and conditioning  | 20          |
| 5.6.2 Behaviour of toecaps (thermal and chemical)  | 20          |
| 5.7 Determination of leak proofness  | 21          |
| 5.7.1 Test equipment   | 21          |
| 5.7.2 Sampling and conditioning  | 21          |
| 5.7.3 Test method  | 21          |
| 5.7.4 Test report  | 21          |
| 5.8 Dimensions of perforation resistant inserts  | 21          |
| 5.8.1 Sampling and conditioning  | 21          |
| 5.8.2 Test method  | 22          |
| 5.8.3 Test report  | 22          |
| 5.9 Determination of the perforation resistance of footwear with a metallic perforation resistant insert | 23          |
| 5.9.1 Test equipment   | 23          |
| 5.9.2 Sampling and conditioning  | 23          |
| 5.9.3 Test method  | 24          |
| 5.9.4 Test report  | 24          |

|      |  |    |
|------|--|----|
| 5.10 | Determination of the perforation resistance of footwear with a non-metallic perforation resistant insert | 24 |
|      | 5.10.1 General   | 24 |
|      | 5.10.2 Test equipment  | 24 |
|      | 5.10.3 Sampling and conditioning   | 24 |
|      | 5.10.4 Test method   | 25 |
|      | 5.10.5 Test report   | 27 |
| 5.11 | Behaviour of perforation resistant inserts (thermal and chemical)  | 28 |
|      | 5.11.1 Sampling and conditioning   | 28 |
|      | 5.11.2 Behaviour of perforation resistant inserts (thermal and chemical)                                 | 29 |
|      | 5.11.3 Test report   | 29 |
| 5.12 | Determination of the flex resistance of perforation-resistant inserts                                    | 29 |
|      | 5.12.1 Sampling and conditioning   | 29 |
|      | 5.12.2 Test method   | 29 |
|      | 5.12.3 Test report   | 29 |
| 5.13 | Determination of electrical resistance   | 30 |
|      | 5.13.1 Principle   | 30 |
|      | 5.13.2 Test equipment  | 30 |
|      | 5.13.3 Sampling and conditioning   | 30 |
|      | 5.13.4 Test method   | 31 |
|      | 5.13.5 Test report   | 31 |
| 5.14 | Determination of footwear slip resistance  | 31 |
|      | 5.14.1 Sampling and conditioning   | 31 |
|      | 5.14.2 Test method   | 31 |
|      | 5.14.3 Test report   | 32 |
| 5.15 | Determination of insulation against heat   | 32 |
|      | 5.15.1 Test equipment  | 32 |
|      | 5.15.2 Sampling and conditioning   | 33 |
|      | 5.15.3 Test method   | 33 |
|      | 5.15.4 Test report   | 33 |
| 5.16 | Determination of insulation against cold   | 34 |
|      | 5.16.1 Test equipment  | 34 |
|      | 5.16.2 Sampling and conditioning   | 34 |
|      | 5.16.3 Test method   | 35 |
|      | 5.16.4 Test report   | 36 |
| 5.17 | Determination of energy absorption of the seat region  | 36 |
|      | 5.17.1 Test equipment  | 36 |
|      | 5.17.2 Sampling and conditioning   | 38 |
|      | 5.17.3 Test method   | 38 |
|      | 5.17.4 Test report   | 38 |
| 5.18 | Determination of resistance to water for whole footwear: trough test                                     | 38 |
|      | 5.18.1 Principle   | 38 |
|      | 5.18.2 Test equipment  | 38 |
|      | 5.18.3 Sampling and conditioning   | 39 |
|      | 5.18.4 Test method   | 39 |
|      | 5.18.5 Test report   | 40 |
| 5.19 | Determination of resistance to water for whole footwear: dynamic test                                    | 40 |
|      | 5.19.1 Principle   | 40 |
|      | 5.19.2 Test equipment  | 40 |
|      | 5.19.3 Sampling and conditioning   | 40 |
|      | 5.19.4 Test method   | 40 |
|      | 5.19.5 Test report   | 42 |
| 5.20 | Determination of impact resistance of a metatarsal protection  | 42 |
|      | 5.20.1 Test equipment  | 42 |
|      | 5.20.2 Sampling and conditioning   | 45 |
|      | 5.20.3 Test method   | 46 |
|      | 5.20.4 Test report   | 47 |
| 5.21 | Determination of the dimension of the ankle protection   | 47 |



|          |        |  |           |
|----------|--------|--|-----------|
|          | 5.21.1 | Sampling and conditioning  | 47        |
|          | 5.21.2 | Test method  | 47        |
|          | 5.21.3 | Test report  | 48        |
| 5.22     |        | Determination of the shock absorption capacity of ankle protection materials incorporated into the upper | 48        |
|          | 5.22.1 | Principle  | 48        |
|          | 5.22.2 | Test equipment   | 49        |
|          | 5.22.3 | Sampling and conditioning  | 50        |
|          | 5.22.4 | Test method  | 50        |
|          | 5.22.5 | Test report  | 50        |
| 5.23     |        | Determination of cutting resistance  | 51        |
|          | 5.23.1 | Sampling and conditioning  | 51        |
|          | 5.23.2 | Dimension of the cut resistant protective area   | 51        |
|          | 5.23.3 | Test method  | 52        |
|          | 5.23.4 | Test report  | 52        |
| 5.24     |        | Scuff caps   | 52        |
|          | 5.24.1 | Sampling and conditioning  | 52        |
|          | 5.24.2 | Test method for the abrasion resistance of the scuff caps  | 52        |
|          | 5.24.3 | Test report  | 52        |
| 5.25     |        | Determination of seam strength   | 53        |
|          | 5.25.1 | Sampling and conditioning  | 53        |
|          | 5.25.2 | Test method  | 53        |
|          | 5.25.3 | Test report  | 53        |
| <b>6</b> |        | <b>Test methods for upper, lining and tongue</b>   | <b>53</b> |
| 6.1      |        | Determination of thickness of upper  | 53        |
|          | 6.1.1  | Sampling and conditioning  | 53        |
|          | 6.1.2  | Test method  | 53        |
|          | 6.1.3  | Test report  | 53        |
| 6.2      |        | Measurement of the height of the upper   | 53        |
|          | 6.2.1  | Sampling and conditioning  | 53        |
|          | 6.2.2  | Test method for the complete upper   | 54        |
|          | 6.2.3  | Test method for the determination of the area for non-water vapour permeable materials                   | 54        |
| 6.3      |        | Determination of tear strength of the upper, lining and/or tongue  | 56        |
|          | 6.3.1  | Sampling and conditioning  | 56        |
|          | 6.3.2  | Test method  | 56        |
|          | 6.3.3  | Test report  | 57        |
| 6.4      |        | Determination of the tensile properties of the upper material  | 57        |
|          | 6.4.1  | Sampling and conditioning  | 57        |
|          | 6.4.2  | Test method  | 57        |
|          | 6.4.3  | Test report  | 58        |
| 6.5      |        | Determination of upper flexing resistance  | 58        |
|          | 6.5.1  | Sampling and conditioning  | 58        |
|          | 6.5.2  | Test method  | 58        |
|          | 6.5.3  | Test report  | 61        |
| 6.6      |        | Determination of water vapour permeability (WVP)   | 61        |
|          | 6.6.1  | Principle  | 61        |
|          | 6.6.2  | Sampling and conditioning  | 61        |
|          | 6.6.3  | Pre-treatment test method  | 61        |
|          | 6.6.4  | WVP measurement  | 61        |
|          | 6.6.5  | Test report  | 61        |
| 6.7      |        | Determination of water vapour absorption (WVA)   | 62        |
|          | 6.7.1  | Principle  | 62        |
|          | 6.7.2  | Test equipment   | 62        |
|          | 6.7.3  | Sampling and conditioning  | 62        |
|          | 6.7.4  | Test method  | 62        |
|          | 6.7.5  | Test report  | 64        |
| 6.8      |        | Determination of water vapour coefficient (WVC)  | 64        |

|          |        |   |           |
|----------|--------|---|-----------|
|          | 6.8.1  | Calculation of WVC.....   | 64        |
|          | 6.8.2  | Test report.....  | 64        |
| 6.9      |        | Determination of pH value.....  | 64        |
|          | 6.9.1  | Sampling and conditioning.....  | 64        |
|          | 6.9.2  | Test method.....  | 65        |
|          | 6.9.3  | Test report.....  | 65        |
| 6.10     |        | Determination of resistance to hydrolysis of upper.....                       | 65        |
|          | 6.10.1 | Sampling and conditioning.....  | 65        |
|          | 6.10.2 | Test method.....  | 65        |
|          | 6.10.3 | Test report.....  | 65        |
| 6.11     |        | Determination of chromium VI content.....                                     | 65        |
|          | 6.11.1 | Sampling and conditioning.....  | 65        |
|          | 6.11.2 | Test method.....  | 65        |
|          | 6.11.3 | Test report.....  | 66        |
| 6.12     |        | Determination of abrasion resistance of lining and insock.....                | 66        |
|          | 6.12.1 | Principle.....  | 66        |
|          | 6.12.2 | Test equipment.....   | 66        |
|          | 6.12.3 | Sampling and conditioning.....  | 67        |
|          | 6.12.4 | Test method.....  | 67        |
|          | 6.12.5 | Test report.....  | 68        |
| 6.13     |        | Determination of water penetration and water absorption for upper.....        | 69        |
|          | 6.13.1 | Principle.....  | 69        |
|          | 6.13.2 | Test equipment.....   | 69        |
|          | 6.13.3 | Sampling and conditioning.....  | 69        |
|          | 6.13.4 | Test method.....  | 69        |
|          | 6.13.5 | Test report.....  | 70        |
| <b>7</b> |        | <b>Test methods for insole, insock and footbed.....</b>                       | <b>71</b> |
|          | 7.1    | Determination of insole, insock and footbed thickness.....                    | 71        |
|          |        | 7.1.1 Sampling and conditioning.....  | 71        |
|          |        | 7.1.2 Test method.....  | 71        |
|          |        | 7.1.3 Test report.....  | 71        |
|          | 7.2    | Determination of water absorption and desorption of insole and/or insock..... | 71        |
|          |        | 7.2.1 Principle.....  | 71        |
|          |        | 7.2.2 Test equipment.....   | 71        |
|          |        | 7.2.3 Sampling and conditioning.....  | 72        |
|          |        | 7.2.4 Test method.....  | 72        |
|          |        | 7.2.5 Test report.....  | 73        |
|          | 7.3    | Determination of abrasion resistance of insole.....                           | 73        |
|          |        | 7.3.1 Principle.....  | 73        |
|          |        | 7.3.2 Test equipment.....   | 73        |
|          |        | 7.3.3 Sampling and conditioning.....  | 74        |
|          |        | 7.3.4 Test method.....  | 74        |
|          |        | 7.3.5 Test report.....  | 75        |
| <b>8</b> |        | <b>Test methods for outsole.....</b>  | <b>75</b> |
|          | 8.1    | General remarks.....  | 75        |
|          | 8.2    | Determination of outsole dimensions.....                                      | 75        |
|          |        | 8.2.1 Sampling and conditioning.....  | 75        |
|          |        | 8.2.2 Determination of the cleated area.....                                  | 75        |
|          |        | 8.2.3 Outsole thickness and cleat height.....                                 | 76        |
|          |        | 8.2.4 Determination of cleat design in the waist area.....                    | 78        |
|          | 8.3    | Determination of tear strength of outsole.....                                | 79        |
|          |        | 8.3.1 Sampling and conditioning.....  | 79        |
|          |        | 8.3.2 Test method.....  | 79        |
|          |        | 8.3.3 Test report.....  | 79        |
|          | 8.4    | Determination of outsole abrasion resistance.....                             | 79        |
|          |        | 8.4.1 Sampling and conditioning.....  | 79        |
|          |        | 8.4.2 Test method.....  | 79        |

|  |       |   |           |
|--|-------|---|-----------|
|  | 8.4.3 | Test report.....  | 79        |
| 8.5  |       | Determination of footwear rigidity.....                   | 79        |
|  | 8.5.1 | Principle.....  | 79        |
|  | 8.5.2 | Test equipment.....                                       | 80        |
|  | 8.5.3 | Sampling and conditioning.....                            | 80        |
|  | 8.5.4 | Test method.....  | 80        |
|  | 8.5.5 | Test report.....  | 82        |
| 8.6  |       | Determination of flexing resistance of outsole.....       | 82        |
|  | 8.6.1 | Principle.....  | 82        |
|  | 8.6.2 | Test equipment.....                                       | 82        |
|  | 8.6.3 | Sampling and conditioning.....                            | 82        |
|  | 8.6.4 | Test method.....  | 82        |
|  | 8.6.5 | Test report.....  | 84        |
| 8.7  |       | Determination of resistance to hydrolysis of outsole..... | 84        |
|  | 8.7.1 | Sampling and conditioning.....                            | 84        |
|  | 8.7.2 | Test method.....  | 84        |
|  | 8.7.3 | Test report.....  | 84        |
| 8.8  |       | Determination of resistance to fuel oil.....              | 84        |
|  | 8.8.1 | Sampling and conditioning.....                            | 84        |
|  | 8.8.2 | Test methods.....   | 85        |
|  | 8.8.3 | Test report.....  | 85        |
| 8.9  |       | Determination of resistance to hot contact.....           | 85        |
|  | 8.9.1 | Test equipment.....                                       | 85        |
|  | 8.9.2 | Sampling and conditioning.....                            | 88        |
|  | 8.9.3 | Test methods.....   | 88        |
|  | 8.9.4 | Test report.....  | 89        |
| <b>Annex A (informative) Assessment of footwear by the laboratory during testing of thermal behaviour.....</b> |       |   | <b>90</b> |
| <b>Annex B (informative) Footwear sizes.....</b>   |       |   | <b>93</b> |
| <b>Bibliography.....</b>   |       |   | <b>94</b> |

### **National foreword**

This standard is an adoption and is identical to ISO 20344: 2021 Personal protective equipment — Test methods for footwear published by the International Organization for Standardization.

Scope of the standard

This document specifies methods for testing footwear designed as personal protective equipment.

Where the words 'International Standard' appear, referring to this standard, they should be read as 'Jamaican Standard'.

Where reference is made to informative and normative annexes the following definitions should be noted:

- Informative Annex – gives additional information intended to assist in the understanding or use of the document. They do not contain requirements.
- Normative Annex – gives provisions additional to those in the body of a document. They contain requirements.

Users should note that all standards undergo revision from time to time and that any reference made herein to any standard implies its latest edition, unless otherwise stated.

This standard is voluntary.

### **Acknowledgment**

Acknowledgement is made to the International Organization for Standardization (ISO) for permission to adopt ISO 20344: 2021.

DRAFT JAMAICAN STANDARD