
Draft Jamaican Standard

Specification

for

**High-Strength Low-Alloy Columbium-Vanadium
Structural Steel**



BUREAU OF STANDARDS JAMAICA

NON-OBJECTION PERIOD:

01 FEBRUARY 2026 – 03 MARCH 2026

IMPORTANT NOTICE

Jamaican standards are subjected to periodic review. The next amendment will be sent without charge if you cut along the dotted line and return the self-addressed label. If we do not receive this label we have no record that you wish to be kept up-to-date. Our address:

Bureau of Standards Jamaica
6 Winchester Road
P.O. Box 113
Kingston 10
Jamaica W.I.

-----[cut along the line]-----

DJS ASTM A572/A572M: 2026

NAME OR DESIGNATION.....

ADDRESS.....

JBS CERTIFICATION MARK PROGRAMME

The general policies of the JBS Certification Mark Programme are as follows:

- The JBS provides certification services for manufacturers participating in the programme and licensed to use the gazetted JBS Certification Marks to indicate conformity with Jamaican Standards.
- Where feasible, programmes will be developed to meet special requirements of the submitter. Where applicable, certification may form the basis for acceptance by inspection authorities responsible for enforcement of regulations.
- In performing its functions in accordance with its policies, JBS will not assume or undertake any responsibility of the manufacturer or any other party.

Participants in the programme should note that in the event of failure to resolve an issue arising from interpretation of requirements, there is a formal appeal procedure.

Further information concerning the details of the JBS Certification Mark Programme may be obtained from the Bureau of Standards, 6 Winchester Road, Kingston 10.

CERTIFICATION MARKS



Product Certification Marks



Plant Certification Mark



Certification of Agricultural Produce
(CAP) Mark



Jamaica-Made Mark

Draft Jamaican Standard
Specification
For
High-Strength Low-Alloy Columbium-Vanadium
Structural Steel

Bureau of Standards Jamaica
6 Winchester Road
P.O. Box 113
Kingston 10
Jamaica W. I.
Tel: (876) 926 -3140-5, (876) 618 - 1534 or (876) 632-4275
Fax: (876) 929 -4736
E-mail: info@bsj.org.jm
Website: www.bsj.org.jm

Month 202X

© 202X Bureau of Standards Jamaica

All rights reserved. Unless otherwise specified, no part of a Bureau of Standards publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including, photocopying microfilm or scanning, without permission in writing.

ISBN XXX.XXXX.XXX

Declared by the Bureau of Standards to be a standard specification pursuant to section 7 of the Standards Act 1969.

First published Month 202X

This standard was circulated in draft form for thirty (30) days non-objection under the reference DJS ASTM A572/A572M

Jamaican Standards establish requirements in relation to commodities, processes and practices, but do not purport to include all the necessary provisions of a contract.

The attention of those using this Specification is called to the necessity of complying with any relevant legislation.

Amendments

No.	Date of Issue	Remarks	Entered by and date

Contents

	Page
National foreword	ii
Committee representation	iii
Acknowledgement	iii
Scope	1
Referenced Documents	1
General Requirements for Delivery	2
Materials and Manufacture	2
Chemical Composition	3
Mechanical Properties	3
Test Reports	3
Keywords	3
Tables	
Table 1: Maximum Product Thickness or Size	2
Table 2 Chemical Requirements (Heat Analysis)	2
Table 3 Alloy Content	3
Table 4 Tensile Requirements	3

National foreword

This standard is an adoption and is identical to DJS ASTM A572/A572M High-Strength Low-Alloy Columbium-Vanadium Structural Steel published by ASTM International.

Scope

This specification covers five grades of high-strength low-alloy structural steel shapes, plates, sheet piling, and bars. Grades 42 [290], 50 [345], and 55 [380] are intended for riveted, bolted, or welded structures. Grades 60 [415] and 65 [450] are intended for riveted or bolted construction of bridges, or for riveted, bolted, or welded construction in other applications.

This standard is voluntary.

Acknowledgment

Acknowledgement is made to the ASTM International for permission to adopt ASTM A572/A572M.

DRAFT JAMAICAN STANDARD